



Sermorelin

WHAT IS SERMORELIN?

Sermorelin Acetate is a compound that stimulates the pituitary gland to produce growth hormones.

Originally, the FDA approved Sermorelin for growth management in children. Since then, doctors have expanded its use to include adult patients with a wide variety of conditions.

At night, during your body's natural cycle of growth hormone production, Sermorelin stimulates the pituitary gland during REM sleep. The pituitary gland produces growth hormones which repair tissue, bones, nerves and more.

WHAT WILL SERMORELIN DO FOR ME?

Studies have shown Sermorelin is effective in improving growth hormone levels. These increased levels of growth hormones may help your body:

- Recover from injury
- Regenerate damaged nerves
- Strengthen your immune system
- Enhance your cardiovascular system
- Increase energy levels
- Strengthen muscle mass
- Increase bone density
- Improve fat burning ability
- Improve memory and mental clarity
- Improve sex drive
- Increase mineral density
- Improve quality of sleep
- Improve skin elasticity

POTENTIAL PATIENT BENEFITS

Patients taking Sermorelin for eight weeks may show improvements in:

- Week 1: Better sleep
- Week 2: Workout benefits
- Week 4: Brain function
- Week 6: Skin rejuvenation
- Week 8: Muscle mass



HOW DO I TAKE SERMORELIN?

Sermorelin is available as an injection or it can be taken orally.

WHAT'S THE SCIENCE BEHIND SERMORELIN?

Growth Hormone Releasing Peptides (GHRP) are synthetic hormone peptide sequences made up of 29 amino acids. Two specific growth hormone releasing peptides, GHRP-2 and GHRP-6, stimulate the pituitary gland's production of growth hormones. Sermorelin is a synthetic growth hormone releasing hormone (GHRH). When paired with peptide GHRP-2 and/or GHRP-6, Sermorelin stimulates the release of growth hormones from the pituitary gland.

WHAT DO I NEED TO KNOW BEFORE TAKING SERMORELIN?

- Sermorelin should not be taken while pregnant or breastfeeding. If in doubt, ask your doctor for a pregnancy test before starting Sermorelin.
- Tell your physician about any medication, supplements and over-the-counter medications you are taking. It is especially important to know if you are taking corticosteroids or thyroid medications.
- Common side effects of Sermorelin include: reactions at the injection site – pain, redness or swelling. Less than 1% of patients report dizziness, flushing, headache or hyperactivity.
- Sermorelin should be taken at least 30 minutes before or after eating.

DO YOU HAVE ANY QUESTIONS?

Please do not hesitate to call us:
888-501-0233

Rev. 10/01/17



FARMAKEIO.COM

1736 N. Greenville Ave. | Richardson, TX 75081